

REINFORCEMENT OF CONCRETE SLAB AS SHOWN IN SECTION ABOVE MUST BE PUT TOGETHER WITH STIRRUPS AS SHOWN IN SECTION BELOW TO MAKE A PROPER TOTAL ANCHORING FOR STEEL-BEAMS INP 200



REINFORCEMENT OF CONCRETE SLAB #Ø12 c200 UP AND BOTTOM

STIRRUPS Ø12 c4,00 WELDED TO WEB

STIRRUPS Ø12 c4,00-XX SEE B-K1

3Ø16-A

PERSPECTIVE DRAWING
1:10

REF	DATE	ANMÄRKNING	ÄNDRA	DRÖJNING
 JOSAM Tel: +46 19 304000 Fax: +46 19 320316				
 ASPLUNDS BYGGKONSULTER AB STURVINGEN 4 • VÄG 11 ÖRSKÖVA TEL: 018-109800				
TEGNADE AV	BEFÄLLNINGSGIVARE	PROJEKTANTER		
98-1989	M. PERSSON	L. ENGBLOM		
1998-11-02	L. ENGBLOM			
JOSAM LASTBILSTEKNIK AB MODEL WORK SHOP PERSPECTIVE DRAWING				
SKALA	NUMMER	1. BEF.		
	K 3			